

GAS-PROCESSING APPARATUS

BACKGROUND OF THE INVENTION

1. Field of the Invention:

5 The present invention relates to a gas-processing apparatus, particularly to a gas-processing apparatus that may be mounted on computers, portable electronic apparatuses, or IA devices and utilizes titanium dioxide optical catalyst to clean gas emitted from said computers, portable electronic
10 apparatuses, or IA devices.

2. Brief Description of Related Art:

 With the development of technology, people not only invent innovative inventions to improve life level but also improve life convenience with high technologies. However, as those
15 inventions appear, our environment is polluted severely, for example, though automobiles bring us unprecedented convenience, the exhaust gas (e.g., carbon monoxide and carbon dioxide) from automobiles causes severe pollution to the atmosphere. Similarly, industrial exhaust gas also results in severe
20 environmental pollution and diseases of respiratory tract (e.g., asthma).

 To solve severe atmospheric pollution issues, air purifier products are invented, for example, a air filter utilizes filtering film (or filtering screen) and active carbon to filter
25 air, i.e., it utilizes sorption principle to filter floating particles, bacteria, and impurities in the air; however, such air purifier products only implement absorption function instead of sterilization or deodorization function. Furthermore, the filtering film or filtering screen has to be replaced
30 periodically; otherwise it itself becomes a pollutant source

when the absorbed matters are excessive, not to say attaining the designed air filtration object.

Some other air purifiers, such as electronic dust collectors, optical catalyst (ozone or ultraviolet) purifiers, in particular air purifiers that utilize strong deoxidization property of titanium dioxide to purify air, are favored by people. In such an air purifier, when the pollutant passes through said titanium dioxide optical catalyst, an ultraviolet lamp radiates ultraviolet radiation onto said titanium dioxide optical catalyst to activate oxygen and water molecules around said titanium dioxide optical catalyst into highly active free radicals, which can almost decompose any harmful or toxic organic matter or inorganic matter to attain sterilization and deodorization objects.

By now, though above optical catalyst air purifier products are widely used in air conditioning devices, fans, etc., they have not been used in computers, TVs, portable electronic devices, and IA devices, the electric crystal units of which, during their operation, will generate harmful or toxic gas. The harmful or toxic gas will flow out through ventilation holes on the equipment and cause harm to people. In addition, dust may deposit at the ventilation holes as time evolves and becomes another pollutant that endangering people.

SUMMART OF THE INVENTION

The main object of the present invention is to provide a gas-processing apparatus that may be used in computers, portable electronic apparatuses, and IA devices and utilize ultraviolet radiation, titanium dioxide, and fan unit to attain sterilization and deodorization objects.

To attain said object, the present invention provides a gas-processing apparatus comprising at least a casing, an light source unit, and a fan unit; said casing has an air inlet and an air outlet; said light source unit is a ultraviolet lamp
5 deployed in air flow path in the internal space of the casing and covered with a optical catalyst layer (titanium dioxide); said fan unit is adjacent to said light source. The radiation of said ultraviolet lamp and/or the optical catalyst in the internal space create redox and sterilization effect to
10 eliminate odor, exhaust gas, toxic matter, or dust in the gas generated from the computers, portable electronic apparatuses, or IA devices, and then the fan unit expels the treated gas out of the casing.

Another object of the present invention is to attain
15 heat-expelling effect with the fan unit for electric crystal in said computers, portable electronic apparatuses, or IA devices.

The structure, principle, and efficacy of the present invention are described in further detail according to the
20 following embodiment with reference to the attached drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig.1 is an exploded perspective view of the present invention;

25 Fig.2 is a perspective view of the present invention; and

Fig.3 is a perspective view illustrating an embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

30 Referring to Figs.1 and 2, the gas-processing apparatus

of the present invention may be used in computers, portable electronic apparatuses, or IA devices and mainly comprises a casing 1, an light source unit 2, and a fan unit 3; said casing encloses an internal space 11 and has an air inlet 12 and an
5 air outlet 13, and at least a filtering unit 14 (e.g., filtering film/filtering screen, or active carbon) is mounted on said air inlet 12 or air outlet 13;

a light source unit 2, which is deployed in the air flow path in the internal space 11 in said casing 1 (in the present
10 embodiment, it is deployed at the air inlet side) and may be a ultraviolet lamp that radiates ultraviolet radiation, which cause ambient air create photochemical action to generate ozone that provides sterilization and deodorization effect;

a fan unit 3, which is deployed at air inlet 12 or air outlet
15 13 in the internal space 11 of said casing 1 and adjacent to said light source 2, and is designed to expel treated gas outside of the casing 1.

In addition, the embodiment of the present invention has at least an optical catalyst layer (titanium dioxide) in the
20 internal space of said casing or on the surface of said ultraviolet lamp; under the radiation of ultraviolet lamp, said optical catalyst layer creates redox and sterilization effect.

When the raw gas containing odor, exhaust gas, toxic matter, or dust pass through said casing 1, it is filtered by the
25 filtering unit 14 at the air inlet 12 to get off floating particles and dust; then under the radiation of said ultraviolet lamp, oxygen in filtered gas creates photochemical action to generate ozone that provides sterilization and deodorization function to purify the gas primarily, and oxygen and water
30 molecules around the optical catalyst (titanium dioxide) are

activated into highly active free radicals, which can decompose any harmful or toxic organic matter or inorganic matter to attain secondary purification including sterilization, deodorization, and antifouling effects; finally, the treated gas is expelled
5 outside of the casing by the fan unit.

In addition, the fan unit in the present invention can not only draw in and expel gas flow, but also provide heat-expelling function for electric crystal and other components in said computers, portable electronic apparatuses, or IA devices.

10 Furthermore, the light source unit (ultraviolet lamp) in the present invention may be a light-emitting diode (LED).

The gas-processing apparatus in the present invention may be designed as a module to use in any portable device or a removable stick form that is powered via a USB plug to expand
15 its applicability.

While the invention has been described with referencing to a preferred embodiment thereof, it is to be understood that modifications or variations may be easily made without departing from the spirit of this invention, which is defined by the
20 appended claims.